


AD-A191 500


COGNITIVE DECREMENT(U) SCIENCE APPLICATIONS  
INTERNATIONAL CORP MCLEAN VA J I PETERS ET AL.  
31 AUG 85 SAIC-85/1788 DNA-TR-85-268 DNA001-84-C-0290  
F/G 6/7

1/1

UNCLASSIFIED

NL





**AD-A191 500**

**DNA-TR-85-268**

②

# **COGNITIVE DECREMENT**

THE

**Joseph I. Peters  
Michael J. Moyer  
Mark A. Archer  
Science Applications International Corporation  
P. O. Box 1303  
McLean, VA 22102-1303**

**31 August 1985**

**Technical Report**

**CONTRACT No. DNA 001-84-C-0290**

Approved for public release;  
distribution is unlimited.

THIS WORK WAS SPONSORED BY THE DEFENSE NUCLEAR AGENCY  
UNDER RDT&E RMC CODE B3500844662 RM RH 00007 25904D.

**Prepared for  
Director  
DEFENSE NUCLEAR AGENCY  
Washington, DC 20305-1000**

**DTIC  
SELECTE  
FEB 11 1988  
S E D**

**88 2 05 007**

Destroy this report when it is no longer needed. Do not return to sender.

PLEASE NOTIFY THE DEFENSE NUCLEAR AGENCY  
ATTN: TITL, WASHINGTON, DC 20305 1000. IF YOUR  
ADDRESS IS INCORRECT, IF YOU WISH IT DELETED  
FROM THE DISTRIBUTION LIST, OR IF THE ADDRESSEE  
IS NO LONGER EMPLOYED BY YOUR ORGANIZATION.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188 Exp. Date: Jun 30, 1986		
1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b RESTRICTIVE MARKINGS			
2a SECURITY CLASSIFICATION AUTHORITY N/A since Unclassified			3 DISTRIBUTION / AVAILABILITY OF REPORT  Approved for public release; distribution is unlimited.			
2b DECLASSIFICATION / DOWNGRADING SCHEDULE N/A since Unclassified						
4 PERFORMING ORGANIZATION REPORT NUMBER(S) SAIC-85/1788			5 MONITORING ORGANIZATION REPORT NUMBER(S) DNA-TR-85-268			
6a NAME OF PERFORMING ORGANIZATION Science Applications International Corporation		6b OFFICE SYMBOL (If applicable)	7a NAME OF MONITORING ORGANIZATION Director Defense Nuclear Agency			
6c ADDRESS (City, State, and ZIP Code) P.O. Box 1303 McLean, VA 22102-1303			7b ADDRESS (City, State, and ZIP Code) Washington, DC 20305-1000			
8a NAME OF FUNDING / SPONSORING ORGANIZATION		8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER DNA 001-84-C-0290			
8c ADDRESS (City, State, and ZIP Code)			10 SOURCE OF FUNDING NUMBERS			
			PROGRAM ELEMENT NO 62715H	PROJECT NO RM	TASK NO RH	WORK UNIT ACCESSION NO DH008498
11 TITLE (Include Security Classification) COGNITIVE DECREMENT						
12 PERSONAL AUTHOR(S) Peters, J. I.; Moyer, M. J.; and Archer, M. A.						
13a TYPE OF REPORT Technical		13b TIME COVERED FROM 840901 TO 850801		14 DATE OF REPORT (Year, Month, Day) 850831		
15 PAGE COUNT 62						
16 SUPPLEMENTARY NOTATION This work was sponsored by the Defense Nuclear Agency under RDT&E RMC Code B3500844662 RM RH 00007 25904D.						
17 COSATI CODES			18 SUBJECT TERMS (Continue on reverse if necessary and identify by block number)			
FIELD	GROUP	SUB GROUP				
6	18		Task Analysis, Mission Analysis			
5	5		Radiation Effects Helicopter Tasks			
			Task Taxonomy Human Performance			
19 ABSTRACT (Continue on reverse if necessary and identify by block number)  The objective of this study was to review and select a taxonomy appropriate for the classification of Army helicopter crew tasks. The utility of such a taxonomy is that it provides a means for predicting performance of personnel on tasks which are similar to those already measured. This ability to generalize across tasks can save time and money in the process of predicting performance in a variety of jobs across numerous weapon systems. The study began with helicopter mission analysis followed by the identification of mission segments characterized by high operator workload. From these segments, tasks were defined and then classified.						
20 DISTRIBUTION / AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED / LIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS			21 ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED			
22a NAME OF RESPONSIBLE INDIVIDUAL Sandra E. Young			22b TELEPHONE (Include Area Code) (202) 325-7042		22c OFFICE SYMBOL DNA/CSTI	

DD FORM 1473, 84 MAR


B3 Approval may be used until exhausted.

Any other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

UNCLASSIFIED  
SECURITY CLASSIFICATION OF THIS PAGE



SECURITY CLASSIFICATION OF THIS PAGE  
UNCLASSIFIED

## PREFACE

This report was prepared by the Human Performance Technology Division of Science Applications International Corporation (SAIC) for the Biomedical Effects Directorate of the Defense Nuclear Agency under contract number DNA 001-84-C-0290. The contract was monitored by Dr. Robert Young. The program manager was Dr. Michael L. Fineberg and the principal investigator was Dr. Joseph I. Peters.

The authors wish to express thanks to the many individuals who contributed to this effort. Dr. Robert Young provided continual support through his technical insight, patience and understanding of the challenges associated with large-scale data collection. Inputs from members of the Intermediate Dose Program aided significantly in early program definition. From the U.S. Army Nuclear and Chemical Agency, Captain James Davis proved instrumental in securing troop support through FORSCOM.

Of special note is the outstanding support provided by pilots of the U.S. Army. Major David Kellogg and personnel of the Combat Development Directorate at the U.S. Army Aviation Center, Ft. Rucker, Alabama, were invaluable in initial steps to defining high workload helicopter missions. Personnel of the 101st Airborne Division, Fort Campbell, Kentucky and Ft. Rucker, Alabama also provided extensive support through the entirety of this effort. We are particularly indebted to Mr. George E. LeFavor (CW4), Supervisor of the CH-47 Flight Simulator, who provided valuable insights into CH-47 operations.

Special thanks go to several members of the SAIC staff. Dr. Michael L. Fineberg, as the SAIC Program Manager, formulated the initial conceptual approach and fostered an environment for innovation and technical excellence to occur. Any shortcomings in that domain, however, are solely the responsibility of the authors. We are also greatly indebted to Dr. Eleanor Criswell for advice on task taxonomies and, to Ms. Brenda Frady for her expertise in graphics and report management.

The views expressed herein are solely the responsibility of the authors and are not to be taken as representing the position of the Defense Nuclear Agency, the U.S. Army or any other government agency.

# CONVERSION TABLE

Conversion factors for U.S. Customary to metric (SI) units of measurement

MULTIPLY TO GET	BY	TO GET DIVIDE
angstrom	1.000 000 X E -10	meters (m)
atmosphere (normal)	1 013 25 X E +2	kilo pascal (kPa)
bar	1 000 000 X E +2	kilo pascal (kPa)
barn	1 000 000 X E -28	meter <sup>2</sup> (m <sup>2</sup> )
British thermal unit (thermochemical)	1.054 350 X E +3	joule (J)
calorie (thermochemical)	4 184 000	joule (J)
cal (thermochemical)/cm <sup>2</sup>	4 184 000 X E -2	mega joule/m <sup>2</sup> (MJ/m <sup>2</sup> )
curie	3 700 000 X E +1	giga becquerel (GBq)
degree (angle)	1.745 329 X E -2	radian (rad)
degree Fahrenheit	$t_F = (t_C + 459.67)/1.8$	degree kelvin (K)
electron volt	1.602 19 X E -19	joule (J)
erg	1.000 000 X E -7	joule (J)
erg/second	1.000 000 X E -7	watt (W)
foot	3.048 000 X E -1	meter (m)
foot-pound-force	1.355 818	joule (J)
gallon (U.S. liquid)	3 785 412 X E -3	meter <sup>3</sup> (m <sup>3</sup> )
inch	2 540 000 X E -2	meter (m)
jerk	1 000 000 X E +9	joule (J)
joule/kilogram (J/kg) (radiation dose absorbed)	1.000 000	Gray (Gy)
kilotons	4 183	terajoules
kip (1000 lbf)	4 448 222 X E +3	newton (N)
kip/inch <sup>2</sup> (ksi)	6 894 757 X E +3	kilo pascal (kPa)
knap	1 000 000 X E +2	newton-second/m <sup>2</sup> (N-s/m <sup>2</sup> )
micron	1 000 000 X E -6	meter (m)
mil	2 540 000 X E -5	meter (m)
mile (international)	1.609 344 X E +3	meter (m)
ounce	2 834 952 X E -2	kilogram (kg)
pound-force (lbs avoirdupois)	4.448 222	newton (N)
pound-force inch	1.129 848 X E -1	newton-meter (N-m)
pound-force/inch	1 751 268 X E +2	newton/meter (N/m)
pound-force/foot <sup>2</sup>	4 788 026 X E -2	kilo pascal (kPa)
pound-force/inch <sup>2</sup> (psi)	6 894 757	kilo pascal (kPa)
pound-mass (lbm avoirdupois)	4 535 924 X E -1	kilogram (kg)
pound-mass-foot <sup>2</sup> (moment of inertia)	4 214 011 X E -2	kilogram-meter <sup>2</sup> (kg-m <sup>2</sup> )
pound-mass/foot <sup>3</sup>	1 601 846 X E +1	kilogram/meter <sup>3</sup> (kg/m <sup>3</sup> )
rad (radiation dose absorbed)	1 000 000 X E -2	*Gray (Gy)
roentgen	2 579 760 X E -4	coulomb/kilogram (C/kg)
shake	1 000 000 X E -8	second (s)
slug	1 459 390 X E +1	kilogram (kg)
torr (mm Hg, 0°C)	1 333 22 X E -1	kilo pascal (kPa)

\*The becquerel (Bq) is the SI unit of radioactivity, 1 Bq = 1 event/s  
 \*The Gray (Gy) is the SI unit of absorbed radiation.



## TABLE OF CONTENTS

Section	Page
PREFACE- - - - -	iii
CONVERSION TABLE - - - - -	iv
LIST OF TABLES - - - - -	vi
1 INTRODUCTION - - - - -	1
1.1 STATEMENT OF PROBLEM- - - - -	1
1.2 TASK DEFINITION PROCESS - - - - -	1
2 MISSION ANALYSIS - - - - -	4
3 MISSION SEGMENT IDENTIFICATION - - - - -	5
4 TASK DEFINITION- - - - -	10
4.1 AH-1 TASKS- - - - -	10
4.2 CH-47 TASKS - - - - -	11
5 COGNITIVE TASK TAXONOMY- - - - -	12
5.1 THE NEED FOR A TAXONOMY - - - - -	12
5.2 REVIEW OF THE LITERATURE- - - - -	12
5.2.1 Behavioral Description - - - - -	13
5.2.2 Behavior Requirements Approach - - - - -	13
5.2.3 Ability Requirements Approach- - - - -	13
5.2.4 Task Characteristics Approach- - - - -	14
5.3 TAXONOMY APPLIED TO HELICOPTER TASKS- - - - -	14
5.4 APPLICATION OF THE TASK CHARACTERISTIC APPROACH TO HELICOPTER TASKS - - - - -	14
6 LIST OF REFERENCES - - - - -	18
APPENDIX	
A ATTACK AND TRANSPORT MISSION SCENARIOS - - - - -	21
A.1 ATTACK MISSION SCENARIO - - - - -	21
A.2 TRANSPORT MISSION SCENARIOS - - - - -	22
B MISSION SEGMENT SCENARIOS- - - - -	27
C COBRA TASK ANALYSES- - - - -	33
D RATING SCALES FOR HELICOPTER TASK TAXONOMY - - - - -	45

# LIST OF TABLES

Table		Page
1	Mission segments of various Army helicopters - - - - -	6
2	Task characteristic ratings applied to U.S. Army helicopter missions- - - - -	16
3	Inter-rater agreement analysis - - - - -	17

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



## SECTION 1

### INTRODUCTION

#### 1.1 STATEMENT OF PROBLEM.

The Defense Nuclear Agency needs to know how performance of Army helicopter crew members is affected by exposure to intermediate doses of nuclear radiation. Obvious moral and ethical considerations preclude exposure of humans to radiation, and animal studies preclude insight into the effects of such radiation on human cognition. The problem then, is how to predict the cognitive performance decrement of Army aircrews in a fashion which is accurate and reliable and, at the same time, free of undue hazards to such crews.

To tackle the problems of radiation induced performance decrement, the Defense Nuclear Agency sponsored a tri-service effort entitled the "Intermediate Dose Program" (IDP). As such, members of the IDP core working group adopted the use of crew estimates of task time degradation as a measure of performance effectiveness. The techniques for addressing how symptoms are identified and related to performance are discussed in depth in other reports (Peters, et al., 1985 and Glickman et al., 1983).

#### 1.2 TASK DEFINITION PROCESS.

The basic unit of human performance measurement used in the Intermediate Dose Program is the task. Examples of tasks analyzed in prior studies are:

- Designate azimuth and target,
- From standstill, drive forward 40 feet and stop,
- Reload,
- Command driver to firing position.

These tasks ranged in nominal time from about two seconds to one minute.

The objective of the current study was to focus in on the performance of helicopter crews. Tasks measured in prior studies (tanks, Howitzers, etc.) focused largely on the firing of weapons and lacked the

degree of cognitive and precise physical coordination which is required of helicopter crews. As a result, particular interest was expressed by the Defense Nuclear Agency (DNA) in assessing the impact of radiation on the high level of cognitive and precise visual-motor skills of helicopter pilots.

More specifically, the DNA expressed special interest in an analysis of helicopter crew performance in an attack mission. Attack helicopters were preferred primarily because, although the flying task was different, they shared many tasks which were in common with those analyzed in most prior studies, i.e., arming, aiming and firing of a weapon.

An analysis of the attack helicopter missions of interest highlighted several points which made helicopters considerably more difficult to study than ground-based systems. These points included the following:

- Helicopters have more operational degrees of freedom
- Continuous control versus discrete tasks predominate
- Crew size is generally smaller
- Confined on-board space precludes in-flight observation of tasks

A brief discussion of each of the above points follows.

The fact that helicopters operate in three dimensional space significantly complicates the accuracy and reliability of measurements of system performance. The fact that pilots are always flying the helicopter as long as it is airborne makes it very hard to define the beginning and ending points of tasks. Because there are two pilots on board with their hands and feet almost continuously on the controls, it becomes impossible to differentiate the flying tasks of one pilot versus those of the other unless the observers interfere with the pilot's natural procedures. In an effort not to interfere with in-flight procedures, all tasks measured in this study rendered task times for each "crew". Therefore, separate times for pilot vs. copilot duties were not measured for the particular tasks observed in this study.

Perhaps the biggest constraint in performing a task timeline analysis of an attack helicopter crew was the fact that it is impossible to fit an observer with a stopwatch into the helicopter. There is not enough room! An attractive and still viable alternative, however, was the use of a high-fidelity helicopter simulator where there is enough room for an observer. Increased capacity of a simulator to hold more people was but only one, albeit major, advantage. Section 3 of this study discusses the other advantages and some disadvantages.

One major disadvantage of having to rely on a simulator for observation of tasks is the limited number, if any, of those available - especially for such purposes as task timeline analysis of high workload tasks. Due to the uncertainty in availability of simulators, the study approach taken was to perform a mission analysis which was both unconstrained by the availability of hardware and yet identified enough mission segments of interest, that a high probability of success in measuring at least one aircraft would be achieved.

In summary, the process leading to task definition involved several steps. They were:

1. Mission Analysis
2. Mission Segment Identification
3. Task Definition
4. Task Classification

These steps are reported in the sections to follow.

## SECTION 2

### MISSION ANALYSIS

The mission analysis phase of this study involved visiting with operational helicopter crews and reviewing literature pertinent to helicopter operations. Numerous field manuals, training circulars and technical manuals (See Reference Section) were consulted for the latest available information on the operational environment. From these sources, four separate mission were identified:

- Attack
- Observation
- Utility
- Transport

The attack mission is currently performed primarily by two helicopters, the AH-1 "Cobra" and the AH-64 "Apache". Observation and scouting are performed by the OH-58 "Kiowa". The utility mission is performed by the UH-1 "Huey" and the UH-60 "Blackhawk" helicopters, and the transport mission is performed primarily by the CH-47 "Chinook".

Given DNA's interest in the attack mission and an increasing knowledge of the availability of CH-47 simulators, scenarios were written for both the Attack and the Transport missions. These scenarios served as an initial baseline or "straw men" for presentation to operational pilots at Ft. Rucker, Alabama and Ft. Campbell, Kentucky. These pilots commented on the authenticity of the scenarios, assisted in refining them and contributed to the identification of high workload mission segments. Copies of the scenarios are reproduced in Appendix A.

## SECTION 3

### MISSION SEGMENT IDENTIFICATION

Although the primary missions of Army helicopters is rather clear, an analysis shows that when missions are broken down into segments, all aircraft share some common functions. Table 1 portrays those mission segments performed by aircraft under the four mission specialty areas.

The general attack mission scenario developed in Section 2 (Appendix A) was biased toward a Cobra helicopter mission; however, to increase flexibility in being able to collect task and task timeline data, separate scenarios were developed for several mission segments. Some of the scenarios were robust enough to apply to more than one aircraft. These scenarios are provided in Appendix B.

A brief discussion of each segment in Table 1 and the related crew skills, knowledges and abilities required for each segment follows:

Take-Off and Hover Check. This a highly proceduralized segment of the missions of all aircraft. It requires sophisticated eye-hand coordination refined by means of intensive training. In addition, it requires a thorough knowledge of how the engine and transmission function. Pilots are required to know which parameters to check on their instrument panels and the tolerance levels for safe and acceptable operation before making a decision to proceed in the flight regime.

Sling Load Pick-Up. This mission segment applies to only those aircraft equipped with hardware for attaching lines to cargo for hauling by means of a sling hanging beneath the helicopter. To perform this mission segment, pilots are required to have good eye-hand coordination, stamina and good crew coordination. Eye-hand coordination supplemented by good depth perception is required to control the aircraft within fine constraints defined by cargo size, shape and location on the terrain. Stamina is required to some degree in order to maintain position of the helicopter in a relatively stable position while compensating for the effects of wind. Crew coordination is especially required in the CH-47 where

Table 1. Mission segments of various Army helicopters.

Mission Type Mission Segments	Attack (AH-1)	Transport Observation (CH-47)	Utility (UH-1) (UH-60)	Observation (OH-58)
Take Off & Hover Check	X	X	X	X
Sling Load Pick-Up		X	X	
NOE/Contour Navigation	X	X	X	X
Fire Suppression	X			
Sling Load Drop-Off		X	X	
Target Handoff	X			X
Pop-Up and Tow Launch	X			
Evade Threat	X	X	X	X
Perform Emergency Procedures	X	X	X	X
Land Aircraft	X	X	X	X



the cargo to be picked up cannot be seen by the pilot. Coordination between the pilot and flight engineer therefore is essential and takes the nature of brief height and altitude directions from the engineer such as "Up 2 feet, Left 2, Down 1", etc. in response to pilot adjustments.

NOE Navigation. Nap-of-the-earth (NOE) navigation involves both map reading and crew coordination skills. NOE flight is the type of flight which occurs at or below tree-top level and takes maximum advantage of the concealment provided by the local greenery and terrain. It is characterized by slow, often stop-and-go movement. Contour flight, on the other hand, is characterized by continuous movement but with emphasis on lowest possible altitude. NOE flight is quite typical of Scout, Attack and Utility missions; however, Transport missions due to CH-47 system dynamics and size, typically go only as low as contour flight allows.

As the altitude of flight missions decreases, there is increased dependency on the skills of the crew in map reading. This is true because the lower altitudes deny the crew of the same broad perspective from which their map was created. Therefore, the numbers of cues become less and the crew is more dependent on mental imagery of their location based on contour lines in the map and map-terrain associative skills.

The need for good crew coordination is emphasized in NOE navigation tasks. This is largely true because the workload involved with keeping the helicopter from hitting obstacles precludes the pilot from looking at a map. The co-pilot, therefore, is continually comparing his perceived position on the map with his actual position and simultaneously issuing instructions to the pilot.

Fire Suppression. Fire suppression is the employment of weapons to suppress enemy fire. The best equipped for this segment is the Attack helicopter because of the versatility of weapons aboard, its firepower and the fact that it was designed for the purpose of enemy engagement. Other aircraft, however, can and do perform fire suppression. The UH-1 can be equipped with rockets and guns for fire suppression.

Overall, Utility and Attack aircraft are the primary aircraft performing fire suppression. However, anyone carrying a rifle or machine gun on any helicopter can perform fire suppression. The distinction is that between "mission" versus "activity". Therefore, Table 1 designates Attack and Utility helicopters as having a fire suppression mission even though other aircraft may do fire suppression when they have to.

The skills associated with fire suppression are largely eye-hand coordination. These are associated with aiming and firing the weapon while simultaneously flying the aircraft.

Sling Load Drop-Off. The characteristics of sling load drop-off are very similar to those for picking up a sling load. The only noticeable difference is that, for obvious reasons, the accuracy of placement is usually not as critical as that for pick-up. Associated eye-hand and crew coordination requirements therefore are also slightly less stringent.

Target Handoff. Target handoff involves the sighting of a target, conversion of target location into communicable coordinates and the follow-through communication of target location either to another aircraft or ground based communications mode. This activity is usually performed by attack or observation aircraft. Requirements for target handoff are target detection ability, map-terrain associative skills, map reading abilities to convert map location into coordinates, short-term memory, good articulation and proper communications procedures.

Pop-Up and Tow Launch. This mission segment is unique to attack helicopters. Performance of a pop-up and TOW launch maneuver involves a sudden rise in altitude from a concealed position, location of target and considerable crew coordination in aiming, firing and tracking a wire-guided missile into the target. Tasks associated with executing this maneuver require considerable knowledge of proceduralized steps for weapon selection, arming, aiming and firing. Crew coordination is essential for hitting the target. Both pilot and gunner require good eye-hand coordination

as they maintain the aircraft and missile respectively, within constraints.

Evade Threat. Being able to evade a threat system is paramount to the survivability of any helicopter. It involves either visually detecting a tank or SAM site through the helicopter windscreen or receiving an audio or visual warning that enemy radar is scanning your aircraft. The appropriate response for evading a threat is to break visual and radar contact as quickly as possible. This usually occurs by means of a combination of driving and turning maneuvers. The major characteristic of this situation is uncertainty and is handled best through abilities of crews to react quickly and safely while maintaining their orientation.

Perform Emergency Procedures. As the title suggests, this type of activity is highly proceduralized and is associated with a well trained set of responses. As in "evading threat", the uncertainty factor is very high here, and likewise, the desirable crew characteristic is speed and accuracy of response. Because the population of possible system emergencies and associated responses is limited, the use of well trained standard procedures has been the traditional method for handling them. In that vein, the amount of uncertainty to be reduced for a system-related emergency is potentially far less than in a threat evasion situation in which an unknown or little-known threat is encountered. Therefore, a pilot's consistency in following procedures is a more desirable characteristic for handling system emergencies, and proficient flying skills become more desirable for handling evasion of threats.

Land Aircraft. The pilot skills associated with landing a helicopter are similar to those for dropping off a sling load. Good eye-hand coordination and depth perception is paramount. Some dependency on established procedures exists, and some crew coordination may be required, especially for the larger aircraft such as the CH-47.

## SECTION 4

### TASK DEFINITION

#### 4.1 AH-1 TASKS.

The initial Cobra task analyses were performed by 13 helicopter pilots from Fort Rucker, Alabama. Six of the pilots were from a FORSCOM attack helicopter company; the seven others had previous operational experience and were assigned at the time to TRADOC's Combat Development Center. Their operational experience is summarized as follows:

- 7 - Attack Pilots/Gunners (AH-1 "Cobra")
- 5 - Observation Pilots (OH-58 "Scout," 0-2)
  - 3 - Armor
  - 2 - Artillery
- 1 - Utility Pilot (UH-1, "Huey")

Each of the pilots was given those scenarios in Appendix B which were appropriate for his particular aircraft. Deficiencies in the scenarios were refined accordingly.

Pilots were taught the basics of task identification with the objective being the ability to time each task. Emphasis therefore was placed on identifying discrete, observable start and stop points as anchors for later timeline analysis. Emphasis was also placed on ensuring tasks were defined at the "micro" level. For example, pilots were told that "starting the engine" did not comprise a sufficient breakdown of the activity and that there were discrete and observable actions which comprised steps in starting the engine. Their task was to define these steps. The AH-1 technical manual (TM 55-1520-236-10) was provided as an aid to the Cobra pilots in helping them to remember some of the tasks, particularly in the "Takeoff and Maintain Hover" mission segment, where the checklist formalizes many of the steps.

The individual pilot accounts of each of the mission segments were compared for consistency, and inconsistencies were resolved through majority rule. In a few cases, phone calls were made to some pilots to clarify certain points. Appendix C includes the results of integrating pilot

accounts of three mission segments of interest for the Cobra attack helicopters.

#### 4.2 CH-47 TASKS.

The CH-47 task analysis was quite revealing with regard to differences in aircraft mission. The weapons-related tasks of the Cobra were, as expected, very similar to the firing of ground-based weapons. As such, they were discrete as opposed to continuous tasks and thus amenable to short-term, fairly reliable timing procedures which could be applied against each crew position. Tasks analyzed for the CH-47, however, were fundamentally based in the "flying" aspects of the tasks. The start and stop times of such tasks were therefore anchored more on system observables versus crew behaviors. This resulted in generally longer tasks which did not differentiate separate crew member roles.

The basis for CH-47 task analysis was repeated observations of pilots in the CH-47 simulator. These observations were converted into lists of tasks which were then discussed with several CH-47 pilots. Task definitions were then modified based on pilot inputs. When a proposed scenario for task-timeline data collection was presented, tasks were further refined with inputs from two seasoned CH-47 simulator operators/instructor pilots.

## SECTION 5

### COGNITIVE TASK TAXONOMY

The study by Glickman et al. (1983) demonstrated that the estimated effects of symptom complexes were fairly generalized across tasks. There was one exception in which estimated symptom effects exaggerated the decrement of those crew members performing physically demanding tasks. From this, one might hypothesize that physically demanding tasks in general are more vulnerable to the effect of low dose nuclear radiation than are less physically demanding tasks. This section discusses the need for taxonomy, reviews the current literature and applies a taxonomy to several helicopter tasks.

#### 5.1 THE NEED FOR A TAXONOMY.

One limitation in the methodology employed by the Intermediate Dose Program is that there is currently no method for systematically generalizing radiation effects on one task to those on similar tasks in other hardware systems. A system therefore is needed which will provide a classification of tasks, including aspects such as physical demand, so that when empirical data are available for one member of the class, accurate generalizations can be made to all tasks belonging to the same classification.

A major reason for DNA's attention to helicopter crew performance analysis is the concern over the potential for increased vulnerability of aircrews to radiation sickness. This concern is based on the perception that there are more workload demands on helicopter pilots than on ground crews and that the nature of the workload is more oriented to tasks involving cognitive processes rather than sensation or physical strength requirements. As such, emphasis in the development of a taxonomy was initially placed on discriminating among various cognitive functions such as long and short term memory, attention, and information coding and processing.

#### 5.2 REVIEW OF THE LITERATURE.

The seminal document on the topic of taxonomies of human tasks is a recent book by Fleishman and Quaintance (1984). Although numerous taxono-

mies and variants are discussed, it appears that there are three basic and distinguishable approaches to classifying tasks:

- Behavior Description
- Behavior Requirements
- Ability Requirements
- Task Characteristics

These approaches are the best developed taxonomies with an already substantive body of studies which support, in varying degree, the reliability and validity of their tenets. A brief discussion of each follows.

#### 5.2.1 Behavioral Description.

This form of classification is based solely on overt behaviors of the person performing a task. As such, the taxonomy is insensitive to why a particular action is occurring and focuses on quantitative measurement of the task. The overall strength of this approach is that it is comprehensive in describing activities. The weakness of the approach however is that because it is so comprehensive of behaviors it lacks meaningful discriminability across tasks.

#### 5.2.2 Behavior Requirements Approach.

The behavior requirements approach goes a step beyond observed behavior only and introspects the requirements for successful performance. This approach might have appeal to the development of a cognitive task taxonomy in that many cognitive processes are seen as requirements for tasks (i.e. memory, decision-making, etc.). As is the drawback for the field of cognitive psychology, however, the behavioral requirements approach falls short in its ability to quantify the behavior being required.

#### 5.2.3 Ability Requirements Approach.

Unlike the behavioral descriptive approach, the ability requirements approach can discriminate among tasks based upon the abilities that they require of the person performing them. As such, this approach works well in a factor analytic environment where the person defining abilities is

also exercising the taxonomy. Use of the ability requirements approach usually lacks objectivity in the definition of tasks and thus reliability across classifiers suffers. This approach would appear to be useful in manpower modeling activities.

#### 5.2.4 Task Characteristics Approach.

This approach attempts to divorce itself from introspective techniques of projecting what human requirements or abilities are demanded by the task. Instead it focuses largely on the stimuli which characterize the environment in which the task is performed and the task responses which affect the environment. This approach appears the most promising for one interested in high inter-rater reliability and the ability to generalize to equivalent types of tasks. This approach is unique in that it is not dependent upon human abilities or requirements to classify tasks.

### 5.3 TAXONOMY APPLIED TO HELICOPTER TASKS.

Of the four basic types of taxonomies discussed, two are particularly attractive for application to military weapon system tasks. The Behavioral Requirements approach appears to be the one most appropriate for defining categories of cognitive activities; however, as mentioned in the preceding sections, its biggest drawback is an inability to be quantitative. The task characteristic approach, on the other hand, appeared to be more measurement oriented with an objective method of rating tasks. A complete set of scales has already been developed including those which assess decision making, workload and degree of muscular effort.

Because these scales appear to address those factors which have demonstrated at least some task discrimination in prior studies and because an overriding concern was the ability to generalize from one military task to another, the task characteristic approach was selected for further study.

#### 5.4 APPLICATION OF THE TASK CHARACTERISTIC APPROACH TO HELICOPTER TASKS.

Scales provided by Fleishman and Quaintance (1984) were used independently by two raters to evaluate the helicopter tasks listed in Table 1, of the preceding section. Each rater filled out 21 scales evaluating



each of the 13 tasks listed. Each of the 21 scales had a rating range from 1 to 7. Table 2 is a blank version of the matrix required to be filled out by each rater and Appendix D includes the filled in matrices along with an example of a scale from Fleishman and Quaintance.

An analysis of agreement between raters was conducted using the standard formula:

$$\frac{\# \text{ Agreements}}{\# \text{ Ratings}}$$

An agreement was taken to mean that the distance between the two ratings was less than or equal to 2. Thus if one rater scores a "4", an agreement would be scored if the other rater's score was 2, 3, 4, 5, or 6. Exact matches accounted for about 1/3 of the agreements. Given the degree of subjectivity involved in using the rating scales, this definition of agreement was acceptable for our purposes.

Results of the inter-rater agreement analysis are presented in Table 3. The scores appear to cluster together with the exception of only two tasks: engine fire and cargo hookup. There, scores suggest that the nature of the task did not affect the difficulty in using the scales. The results do show, however that application of some scales was more difficult than others. Further analysis revealed that agreement scores were under .70 for 10 of the 21 scales. It might have been the case that raters had trouble applying those scales to any task.

It may be desirable to use these scales in the future as the basis for a generalization model. As mentioned earlier, these scales have been validated in other work. If the scales are used in the future, however, one of two general approaches should be taken. One, raters might undergo more extensive training in the application of the scales, or two, the raters could discuss all ratings, arrive at a consensus, and use the consensus figure as the value in the generalization model. This second approach appears warranted for future efforts.

Table 2. Task characteristic ratings applied to U.S. Army helicopter missions.

TASKS	RATING SCALES	NUMBER OF OUTPUT UNITS	DURATION OUTPUT UNIT MAINTAINED	NUMBER OF ELEMENTS PER OUTPUT UNIT	WORKLOAD	DIFFICULTY OF GOAL ATTAINMENT	PRECISION OF RESPONSES	RESPONSE RATE	SIMULTANEITY OF RESPONSES	DEGREE OF MUSCULAR EFFORT INVOLVED	NUMBER OF PROCEDURAL STEPS	DEPENDENCY OF PROCEDURAL STEPS	ADHERENCE TO PROCEDURES	PROCEDURAL COMPLEXITY	VARIABILITY OF STIMULUS LOCATION	STIMULUS OR STIMULUS COMPLEX DURATION	REGULARITY OF STIMULUS OCCURRENCE	OPERATOR CONTROL OF THE STIMULUS	OPERATOR CONTROL OF THE RESPONSE	REACTION TIME/FEEDBACK LAG RELATIONSHIP	FEEDBACK	DECISION MAKING
TAKE-OFF TO HOVER																						
HOVER POWER CHECK																						
CARGO HOOK-UP																						
DEPART WITH CARGO																						
CARGO DROP-OFF																						
DEPART																						
LOW-LEVEL NAVIGATION																						
EVADE THREAT																						
ENGINE FIRE																						
FIRE SUPPRESSION																						
TARGET HAND-OFF																						
POP-UP & TOW LAUNCH																						
RUNNING LANDING																						

Table 3. Inter-rater agreement analysis.

<u>Tasks</u>	<u>Agreement</u>
Take off to Hover	.71
Hover Power Check	.76
Cargo Hook-Up	.62
Depart with Cargo	.76
Cargo Drop-Off	.76
Depart	.71
Low Level Navigation	.67
Evade Threat	.71
Engine Fire	.52
Fire Suppression	.76
Target Hand-Off	.81
Pop-Up and Tow Launch	.81
Running Landing	.81

## SECTION 6

### LIST OF REFERENCES

1. Fleishman, E.A. and Quaintance, Marilyn K. Taxonomies of human performance: The description of human tasks. Orlando, FLA: Academic Press, 1984.
2. Glickman, A.S., Winne, P.S., and Moe, R.B. Estimated effects of intermediate levels of nuclear radiation upon the performance of military tasks: a questionnaire assessment (ORG Technical Report 82-2/3-1 (Draft)). Norfolk, VA, Organization Research Group of Tidewater, Inc., March 1983.
3. Peters, J.I., Archer, M.A., and Moyer, M.A. Cognitive performance decrement in U.S. Army aircrews (SAIC Technical Report: SAIC-85/1787). McLean, VA, Science Applications International Corporation, August 1985.

#### Field Manuals

4. FM 100-5 Operations, 20 August 1982.
5. FM 17-50 Attack Helicopter Operations, 1 July 1977.
6. FM 1-203 Fundamentals of Flight, 9 September 1983.
7. FM 1-5 Instrument Flying and Navigation for Army Aviators, 7 July 1980.

#### Training Circulars

8. TC 1-4 Helicopter Gunnery, 30 September 1976.
9. TC 1-60 Forward Area Refueling and Rearming Point Operations, 20 February 1979.
10. TC 1-30 Preparation of the AH-1 for Night Flight, 30 September 1976.

11. TC 1-31 Preparation of the OH-58 for Night Flight, 28 February 1977.
12. TC 1-32 Preparation of the CH-47 for Night Flight, 30 June 1977.
13. TC 1-136 Aircrew Training Manual, Attack Helicopter, 16 January 1981.
14. TC 1-137 Aircrew Training Manual, Observation Helicopter, 27 July 1982.
15. TC 1-137 Aircrew Training Manual, Cargo Helicopter, 27 July 1982.
16. Flight Training Supplement to TC 1-136 for AH-1s Aviation Qualification Course United States Army Aviation Center, Fort Rucker, Alabama, August 1983.
17. Flight Training Supplement to TC 1-137 for OH-58 Transition and Aero-scout Combat Skills, U.S. Army Aviation Center, Fort Rucker, Alabama, October 1983.
18. Flight Training Supplement to TC 1-139 for CH-47 Aviation Qualification Course. U.S. Army Aviation Center, Fort Rucker, Alabama, June 1983.

#### Technical Manuals

19. TM 55-1520-227-10-2  
Operator's Manual Army Model CH-47C Helicopter, 29 May 1984.
20. TM 55-1520-227-CL-2  
Operator's and Crewmember's Checklist, Army Model CH-47C Helicopter, 29 May 1984.
21. TM 55-1520-240-10  
Operator's Manual, Army CH-47D Helicopter, 10 November 1982.
22. TM 55-6930-212-10  
Operator's Manual for CH-47C Flight Simulator (CH-47FS), 1 February 1983.

23. TM 55-1520-236-10  
Operator's Manual: Army Model AH-1s (PROD) (ECAS) (MOD) Helicopters,  
11 January 1980.
24. TM 55-1520-236-CL  
Operator and Crewmember Checklist: Army Model AH-1s (PROD) (ECAS)  
(MOD) Helicopters, 3 January 1980.

## APPENDIX A

### ATTACK AND TRANSPORT MISSION SCENARIOS

#### A.1 ATTACK MISSION SCENARIO.

As evening approaches, an armored enemy force has penetrated friendly defenses and is gradually gaining momentum. Friendly Air Cavalry units have been able to determine the extent of the force, make initial contact and have been in touch with friendly ground elements. An attack helicopter battalion has been assigned the task of attacking the flank of the enemy force.

During flight planning and preflight tasks, the required MOPP gear in conjunction with the heat of the day makes the pilots uncomfortable. Aircraft of the attack company perform their hovering tasks and then proceed with a normal takeoff. The unit, using the traveling technique of movement, moves forward to the holding area leaving the forward assembly area behind. At the holding area, the attack helicopters coordinate with the aeroscouts and by platoons, using traveling and bounding overwatch techniques, move out to the battle positions and receive target hand offs.

From firing positions, the cobras partially unmask themselves and acquire their targets. Then, the AH-1s unmask as required to fire, engaging the enemy T-62s and BMPs, then quickly remasking and shifting to alternate firing positions to deter the efforts of the ZSU-23-4s. This process of engagement is repeated several times adding to the number of burning vehicles resulting in a smoke screen that threatens to obscure the battle area.

The road, now clogged with wrecked vehicles is blocking the lead elements of the advance as the force attempts to reform and continue the operation. The enemy commander, not easily put off by these set backs, initiates a flanking movement which is quickly discovered by cavalry. In need of fire power, aeroscouts direct one platoon of the cobras from their battle positions to counter the flanking maneuver. The AH-1s again set into firing positions then using their guns, assist friendly artillery in providing suppressive fire at BMPs and dismounted infantry threatening to overrun a friendly ground element.

Having expended their munitions, the cobra platoon retires from the battle area flying nap-of-the-earth. It is after sunset, requiring the crews to use night vision goggles. Enroute to the holding area, a small enemy ground element is discovered and a cobra pilot transmits a spot report. Using the appropriate techniques of movement along the avenues of approach, the platoon returns to the forward area rearm/refuel point to begin preparations for the next mission.

#### A.2 TRANSPORT MISSION SCENARIOS.

In this portion of the study, we will record times for the successful completion of individual tasks performed during missions by crew members who are healthy. To do this, time data will be collected from missions that have been previously defined for this study. It is essential that you fly the mission, along the planned route so different crews' performances can be compared. All crews will fly the same missions.

Each mission starts at the end of the runway with engines running. You will then proceed to pick up a high density 18,000 lb. sling-load located halfway down the runway. Using contour flying techniques and traveling as quickly as possible, fly the preplanned route as indicated on the map. The air check points (ACP) along the enroute portion of the mission are to be identified. Upon reaching the destination, you will deliver the cargo and go back to the airfield via the return route.



## FLIGHT MISSION TO CONFINED AREA 5

### CONDITIONS

CONDITION Daylight

VISIBILITY 1 mile

CEILING 500 ft.

TEMPERATURE +15 °C

ALTIMETER 2992

AIRFIELD LOCATION Campbell AAF

CARGO 18,000 lbs. High Density Sling-Load

DESTINATION Confined Area 5

ALTITUDE RESTRICTIONS Below 300 ft. AGL

### WINDS

DEPARTURE WD/WV 020/20

CARGO DESTINATION WD/WV 330/20

LANDING APPROACH WD/WV 220/20

TURBULENCE Moderate for Entire Route

### NOTE:

- Due to ground tactical plan, you must adhere to the preplanned route.
- Every effort must be made to accomplish the mission as quickly as possible.
- Numerous spot reports have been made of enemy activity to the south of confined area 5.
- Aircraft configured to just under 46,000 lbs.

### DESCRIPTION:

- Without drifting, takeoff and maintain a hover (ALPHA).
- Perform a hover power check announcing check items.
- Proceed to and pick up 18,000 lb. high density sling-load near center of the runway (BRAVO).
- While maintaining position, perform a hover power check.

## FLIGHT MISSION TO CONFINED AREA 5

- Using contour flying techniques (below 300 ft. AGL), fly the preplanned route drawn on the map. Announce when you think you have reached each of the following ACPs:
  - BRIDGE - (CHARLIE)
  - BRIDGE - (DELTA)
  - BUILDING - (ECHO)
  - BRIDGE - (FOXTROT)
  - BRIDGE - (GOLF)
- At ACP GOLF, turn left and proceed along the route to confined area 5 (Hotel). Announce when you have identified confined area 5.
- Deliver cargo to confined area 5 (Hotel).
- Continuing to use contour flying techniques (below 300 ft. AGL) quickly return to the airfield along the preplanned route. Identify and announce reaching ACP INDIA.
- Make a running approach to the airfield.
- Final task is the front wheels touching down on the runway.

## FLIGHT MISSION TO CONFINED AREA 7

### CONDITIONS

CONDITION Daylight

VISIBILITY 1/2 mile

CEILING 500 ft.

TEMPERATURE +15 °C

ALTIMETER 2992

AIRFIELD LOCATION Campbell AAF

CARGO 18,000 lbs. High Density Load (Sling)

DESTINATION Confined Area 7

ALTITUDE RESTRICTIONS Below 300 ft.

### WINDS

DEPARTURE WD/WV 020/20

CARGO DESTINATION WD/WV 330/20

LANDING APPROACH WD/WV 220/20

### NOTE:

- Due to the ground tactical plan, you must adhere to the preplanned route.
- Every effort must be made to accomplish this mission as quickly as possible.
- Aircraft is configured to just under 46,000 lbs.

### DESCRIPTION:

- Takeoff to a hover and maintain position (ALPHA).
- Perform a hover (power) check announcing checklist items.
- Proceed to and pick up 18,000 lb. high density sling-load near center of the runway (BRAVO).
- Perform another hover (power) check announcing check items.
- Using contour flying techniques (below 300 ft. AGL) fly the pre-planned route on the map to confined area 7.
- Announce identification of confined area 7 and deliver the sling-load.
- Following the route indicated, depart confined area 7, resume contour flying and return to airfield making a running approach.

## FLIGHT MISSION TO CONFINED AREA 7

- Final task is the front wheels touching down on the runway.

## APPENDIX B

### MISSION SEGMENT SCENARIOS

Mission: Attack, Observation or Utility

Mission Segment: Takeoff and Maintain Hover

Helicopters: AH-1s, OH-58, UH-1

Scenario: It is early morning. Your aircraft is ready to go. It has undergone a pre-dawn health indicator test and the throttle has been pre-set. You are about to go through engine start-up procedures using asterisked items on the check-list.

Mission: Attack

Mission Segment: Fire Suppression

Helicopter: AH-1s

Scenario: You are the second of a two-ship attack formation. Lead ship is directly in front of you as you use traveling overwatch as the planned technique of movement. It is a hot day and you, as pilot, are traveling under visual meteorological conditions (VMC). You detect tracers from ground fire directed to lead ship's 7 o'clock. Your only available armament is guns and the situation calls for helmet sight hand-off to the gunner.

Mission: Attack

Mission Segment: Pop-up and TOW Launch

Helicopter: AH-1s

Scenario: It is a hot day and you are masked in a good firing position. You are under VMC/VFR conditions and are awaiting target handoff from the Scout. You have good local security.

Mission: Observation

Mission Segment: Target Handoff

Helicopter: OH-58

Scenario: It is a hot day and you are a Scout pilot traveling under VMC/VFR conditions. Your Cobra is concealed in firing position and you are moving forward in an NOE environment. You are using lateral masking until you contact the enemy.



Mission: Utility

Mission Segment: Landing Approach

Helicopter: UH-1

Scenario: You are returning from a night, NOE transport mission. You have a full load of troops and are entering the landing approach phase.



## APPENDIX C

### COBRA TASK ANALYSES

Mission: Attack

Mission Segment: Takeoff and Maintain Hover

Helicopter: AH-1s (ECAS)

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
1.	"BATTERY SWITCH START"	Turns on BAT switch and says "ON"	
2.	"VOLTMETER CHECK"	PILOT LOOKS AT VOLTMETER AND AND REPORTS VOLTAGE "24 VOLTS"	
3.	"THROTTLE CHECK"	PILOT CHECKS FULL TRAVEL, CLOSES THROTTLE, OPENS TO FLIGHT IDLE POSITION (LEFT HAND) AND CONFIRMS "THROTTLE CHECK"	
4.	"FUEL SWITCH TO FUEL"	Turns switch on and checks to confirm fuel boost lights go off and responds "FUEL"	
5.	"MASTER CAUTION AND RPM WARNING LIGHTS CHECK"	PILOT CHECKS FOR LIGHTS ON AND RESPONDS "CHECK"	
6.	"CAUTION PANEL LIGHTS TEST AND RESET"	PILOT TESTS AND RESETS LIGHTS AND RESPONDS "CHECK"	

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
7.	"FIRE DETECTOR TEST SWITCH-TEST"	PILOT FLIPS SWITCH UP AND CONFIRMS FIRE LITE GOES ON, RELEASES SWITCH AND CONFIRMS LIGHTS GOES OUT AND SAYS "CHECK"	
8.	"ALTIMETER SET" AND ROTATES HIS KNOB TO FIELD ELEVATION	PILOT ROTATES KNOB TO FIELD ELEVATION AND SAYS "CHECK"	
9.	"FIRE GUARD POSTED"	PILOT CHECKS TO SEE IF FIRE GUARD IS IN POSITION AND SAYS "CHECK"	
10.	"ROTOR BLADES"	PILOT INSPECTS TO ENSURE BLADES ARE AT 90 <sup>0</sup> , UNTIED AND CLEAR AND SAYS "CLEAR"	
11.	"ENGINE START"	SIMULTANEOUSLY PRESSES STARTER SWITCH AND HOLDS (LEFT HAND) AND STARTS TIMER (RIGHT HAND); HOLDS COLLECTIVE DOWN AND CENTERS CYCLIC; MONITORS VOLTAGE INCREASE, CLOCK, N1 AND TGT ALTERNATELY; LISTENS FOR UNUSUAL ENGINE SOUNDS; RELEASES STARTER SWITCH AT EITHER 40% N1 OR 35 SECS; TURNS OFF IGNITION KEY AT 750 <sup>0</sup> C TGT; TURNS ON IGNITION SWITCH AT STABLE TGT	
12.	"GENERATOR SWITCH-ON"	PILOT TURNS GENERATOR SWITCH ON, NOTES AMMETER INDICATION, AND CONFIRMS DC GEN LIGHT GOES OUT AND SAYS "ON"	

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
13.	"BATTERY SWITCH-RUN"	PILOT TURNS BATTERY SWITCH TO RUN POSITION AND SAYS "CHECK"	
14.	"ENGINE AND TRANSMISSION OIL PRESSURE-CHECK"	PILOT ENSURES GAUGES WITHIN LIMITS AND SAYS "CHECK"	
15.	"THROTTLE IDLE"	PILOT TURNS THROTTLE UP TO IDLE AND SAYS "IDLE"	
16.	"N1-CHECK"	PILOT ENSURES N1 IS BETWEEN 68-72% WHILE HOLDING THROTTLE AT IDLE STOP AND SAYS "CHECK"	
ENGINE RUNUP			
17.	"CAUTION LIGHTS-CHECK"	PILOT CONFIRMS ALL LIGHTS OUT EXCEPT ALTER AND RECTIFIER AND SAYS "CHECK"	
18.	"AMMETER-CHECK"	PILOT CONFIRMS LESS THAN 200 AMP READING AND SAYS "CHECK"	
19.	"AVIONICS-AS DESIRED" AND TURNS ON VHF RADIO	PILOT TURNS ON FM RADIO, RADAR ALTIMETER TO "ON", ADF TO "ON", VHF TO "ON", VOR TO "ON" AND TRANSPONDER TO "STANDBY" AND SAYS "AVIONICS ON"	
20.	"SCASS POWER SWITCH-POWER"	PILOT TURNS SWITCH TO "POWER" AND MONITORS IF SCASS NO-GO LIGHTS GO ON AND EXTINGUISH BY 50 SECS	
21.	"CANOPY DOORS-SECURE" AND SECURES HIS DOOR	PILOT SECURES HIS DOOR AND SAYS "SECURE"	

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
22.	"ENGINE AND TRANSMISSION INSTRUMENTS-CHECK"	PILOT CHECKS INSTRUMENTS AND SAYS "CHECK"	
23.	"THROTTLE-FULL OPEN"	PILOT SLOWLY INCREASES THROTTLE TO 100% RPM AND MONITORS TGT AND TORQUE	
24.	"ALTERNATOR SWITCH-ON"	PILOT TURNS ALTNR SWITCH ON AND CONFIRMS ALTNR AND RECT LIGHTS OUT AND SAYS "CHECK"	
25.	"ENGINE DE-ICE"	PILOT TURNS DE-ICE SWITCH ON, MONITORS SLIGHT TGT INCREASE, MOVES DE-ICE SWITCH TO OFF AND MONITORS TGT DECREASE AND SAYS "CHECK"	
26.	"SCAS" AND LOCATES HIS FINGER ON SCAS RELEASE SWITCH AND INSPECTS BLADES FOR ABNORMALITY DURING PILOT INDUCED CHECKS	PILOT CHECKS THAT HE'S CLEAR AROUND A/C AND THAT SCAS LIGHTS ARE OUT; LOCATES FINGER ON SCASS RELEASE SWITCH; ENGAGES PITCH, ROLL AND YAW CHANNELS ONE-AT-A-TIME AND INSPECTS BLADES FOR ABNORMALITIES: TELLS GUNNER TO BREAK SCASS	
----- GUNNER PRESSES SCAS RELEASE -----		RE-ENGAGE SCAS DISENGAGES SCAS RE-ENGAGES SCAS	
27.	"ALTIMETERS"	RESETS ALTIMETER AND SAYS "CHECK"	

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
28.	"HSI" AND ANNOUNCES STANDBY COMPASS HEADING	PILOT SETS HSI TO MATCH STANDBY COMPASS HEADING	
BEFORE TAKE-OFF CHECK			
29.	"RPM"	CHECKS TO ENSURE 100% AND SAYS "100%"	
30.	"SYSTEMS"	CHECKS ENGINE, TRANSMISSION, ELECTRICAL AND FUEL SYSTEMS INDICATORS AND SAYS "CHECK"	
31.	"ARMAMENT SYSTEMS"	CHECKS ARMAMENT SYSTEMS ARE ON-LINE AND FUNCTION PROPERLY AND SAYS "AS REQUIRED"	
32.	"TRANSPONDER"	SETS TRANSPONDER AND SAYS "AS REQUIRED"	
PICK UP TO HOVER			
33.		PILOT INCREASES COLLECTIVE, PEDALS AS NECESSARY TO MAINTAIN HEADING, CYCLIC AS NECESSARY TO MAINTAIN ALTITUDE	
HOVER CHECK			
34.	"FLIGHT CONTROLS"	CHECKS FLIGHT CONTROLS FOR PROPER POSITION AND RESPONSES AND ANNOUNCES "CHECK"	
35.	"ENGINE AND TRANS- MISSION INSTRUMENTS"	CHECKS INDICATORS AND SAYS "CHECK"	

<u>TASK</u>	<u>GUNNER SAYS:</u>	<u>PILOT</u>	<u>TIME</u>
36.	"FLIGHT INSTRUMENTS"	PILOT CHECKS: AIR SPEED, ADI, VSI (UVI), SLIP INDICATOR, HSI, AND SAYS "CHECK"	
37.	"POWER"	PILOT CHECKS IF POWER AVAILABLE COMPARES WITH PREDICTED VALUE FROM CHARTS (PPC) AND SAYS "CHECK"	



Mission: Attack

Mission Segment: Fire Suppression

Helicopter: AH-1s (ECAS) (N=4)

<u>TASK</u>	<u>GUNNER</u>	<u>TIME</u>	<u>PILOT</u>	<u>TIME</u>
1.			DETECTS TRACERS DIRECTED AT LEAD SHIP	
2.			RADIOS LEAD SHIP "LEAD TAKING FIRE FROM 7 O'CLOCK"	
3.			TELLS GUNNER TO AQUIRE TARGET - "GUNNER-TARGET!" AND MAINTAINS HSS (HELMET SIGHT SYSTEM) ON TARGET	
4.	VERIFIES TOW CONTROL PANEL SWITCHED TO "TSU/GUNS" AND PUSHES ATS (ACQUIRE- TRACK-STOW) SWITCH TO "ACQUIRE," CAUSING TSU (TELESCOPIC SIGHT UNIT) TO SLEW TO PILOT-DESIGNATED LOCATION		CHECKS OR PLACES SWITCHES INTO PROPER POSITIONS: - MASTER ARM SWITCH TURNED TO "ARM" - WEAPONS CONTROL SWITCH TURNED TO "GUNNER"	
5.	PRESSES ACTION BAR WHILE LOOKING INTO TSU		MAINTAINS ORIENTATION	

<u>TASK</u>	<u>GUNNER</u>	<u>TIME</u>	<u>PILOT</u>	<u>TIME</u>
6.	IDENTIFIES TARGET, MANEUVERS JOYSTICK TO PUT CROSSHAIRS ON TARGET AND SQUEEZES TRIGGER		MAINTAINS ORIENTATION AND APPROACH	
7.			PULLS AWAY FROM TARGET	
8.	RAISES HEAD FROM TSU AND PLACES ATS SWITCH TO "STOW"			

TIME = 15-20 SECONDS (N=1)

Mission: Attack

Mission Segment: Pop Up and TOW Launch

Helicopter: AH-1s (ECAS) (N=4)

<u>TASK</u>	<u>GUNNER</u>	<u>TIME</u>	<u>PILOT</u>	<u>TIME</u>
1.	SEARCHES MAP FOR REPORTED TARGET LOCA- TION AND FORMULATES EXPECTANCY OF GEO- GRAPHIC LAYOUT		ORIENTS AIRCRAFT TO HEADING GIVEN BY SCOUT	
2.	CHECKS OR PLACES SWITCHES INTO PROPER POSITIONS: <ul style="list-style-type: none"><li>- TCP (TOW CONTROL PANEL) MODE SWITCH IS SET TO EITHER "MAN" OR "AUTO" AND THUS ARMED</li><li>- TCP "MISSILE SELECT" IS SHOWING AN AVAIL- ABLE MISSILE</li><li>- ATS SWITCH (ACQUIRE, TRACK, STOW) ON SIGHT HAND CONTROL PANEL IS SET TO "TRK"</li><li>- MAGNIFICATION SWITCH ON LEFT HAND GRIP IS SET TO "LO"</li></ul>		CHECKS OR PLACES SWITCHES INTO PROPER POSITIONS: <ul style="list-style-type: none"><li>- MASTER ARM SWITCH TURNED TO "ARM"</li><li>- WPN CONT SWITCH TURNED TO "GUNNER"</li></ul>	
3.	CONFIRMS "TOW'S READY"	10	ASKS GUNNER "IS TOW "READY"	10

<u>TASK</u>	<u>GUNNER</u>	<u>TIME</u>	<u>PILOT</u>	<u>TIME</u>
4.	VERIFIES POWER AND TGT ARE WITHIN LIMITS BEFORE CLEARING TREE TOPS		INCREASES COLLECTIVE PITCH TO UNMASK THE AIRCRAFT IN PRESCRIBED DIRECTION	
5.	REMOVES M 24 MASK			
6.	PLACES RIGHT HAND ON TRACKING JOYSTICK AND PLACES HEAD IN TSU		ACQUIRES TARGET AND INCREASES COLLECTIVE UNTIL LINE OF SIGHT OF TSU ACHIEVED	
7.	SEARCHES FOR TARGET WHILE SLEWING TSU WITH JOYSTICK		MONITORS PSI ("PILOT STEERING INDICATOR") TO KEEP IN CONSTRAINTS	
8.	DETECTS, AND RECOGNIZES TARGET AND PLACES AND MAINTAINS CROSSHAIRS ON TARGET			
9.	SWITCHES MAGNIFICATION ON LEFT HAND GRIP TO "HIGH"			
10.	PRESSES "ACTION" BAR ADJUSTS CROSSHAIRS AND TELLS PILOT "READY"	10		10
11.			PILOT ENSURES A/C IS IN CONSTRAINTS AND TELLS GUNNER "READY"	
12.	LAUNCHES MISSILE ON LEFT HAND GRIP AND MAINTAINS CROSSHAIRS	10	MAINTAINS A/C IN CONSTRAINTS; INSPECTS POWER, TORQUE, TGT	10

<u>TASK</u>	<u>GUNNER</u>	<u>TIME</u>	<u>PILOT</u>	<u>TIME</u>
-------------	---------------	-------------	--------------	-------------

13.	AFTER IMPACT, LEAVES TSU, AND PRESSES WIRE CUT BOTTON	23	INITIATES DESCENT	23
-----	---	----	-------------------	----

=43

=30

=43

=39

N=3



## APPENDIX D

### RATING SCALES FOR HELICOPTER TASK TAXONOMY

#### Example Scale

(from Fleishman and Quaintance, 1984, p. 482)

This dimension considers the amount of muscular effort required to perform the task. Examine the task and identify the most physically strenuous part of it. Rate this part on the scale below.

Definitions		Examples
<i>High amount of muscular effort-response(s) require a high degree of muscular involvement.</i>	7	<ul style="list-style-type: none"><li>• Do 40 push-ups</li><li>• Lift the heaviest weight possible.</li></ul>
<i>Moderate amount of muscular effort required for the response(s).</i>	6	<ul style="list-style-type: none"><li>• Tighten nuts on bolts securely with a wrench.</li></ul>
	5	
	4	
	3	
	2	<ul style="list-style-type: none"><li>• Solder two wires together.</li><li>• Add numbers and report the sum aloud.</li></ul>
<i>Low amount of muscular effort required</i>	1	

Rater #1. Helicopter Task Characteristics Ratings

TASKS	RATING SCALES																				
	NUMBER OF OUTPUT UNITS	DURATION OUTPUT UNIT MAINTAINED	NUMBER OF ELEMENTS PER OUTPUT UNIT	WORKLOAD	DIFFICULTY OF GOAL ATTAINMENT	PRECISION OF RESPONSES	RESPONSE RATE	SIMULTANEITY OF RESPONSES	DEGREE OF MUSCULAR EFFORT EMPLOYED	NUMBER OF PROCEDURAL STEPS	DEPENDENCY OF PROCEDURAL STEPS	ADHERENCE TO PROCEDURES	PROCEDURAL COMPLEXITY	VARIABILITY OF STIMULUS LOCATION	STIMULUS OR STIMULUS COMPLEX DURATION	REGULARITY OF STIMULUS OCCURRENCE	OPERATOR CONTROL OF THE STIMULUS	OPERATOR CONTROL OF THE RESPONSE	REACTION TIME/FEEDBACK LAG RELATIONSHIP	FEEDBACK	DECISION MAKING
TAKE-OFF TO HOVER	1	5	4	2	2	4	3	6	3	7	6	6	6	5	7	3	6	7	2	5	6
HOVER POWER CHECK	1	1	3	2	2	4	3	5	3	5	5	5	3	7	7	3	5	7	4	6	5
CARGO HOOK-UP	4	1	4	3	4	7	2	7	4	6	7	6	5	6	7	4	5	6	3	6	4
DEPART WITH CARGO	1	1	3	1	2	5	4	5	3	5	6	5	4	5	7	4	6	6	3	5	5
CARGO DROP-OFF	4	1	3	2	3	6	3	6	4	5	6	6	5	5	7	4	6	6	3	6	4
DEPART	1	1	3	1	2	5	4	5	3	5	6	5	4	5	7	4	6	6	3	5	5
LOW-LEVEL NAVIGATION	4	6	5	6	3	5	5	6	4	6	5	5	5	5	7	5	6	5	2	5	6
EVADE THREAT	1	1	3	4	7	4	6	7	5	4	6	7	3	1	6	1	1	7	5	6	2
ENGINE FIRE	1	1	3	4	3	6	6	7	5	4	7	7	3	7	7	1	1	7	5	6	2
FIRE SUPPRESSION	3	3	3	2	4	5	6	6	5	4	5	5	3	1	4	3	1	7	5	6	3
TARGET HAND-OFF	4	4	4	3	4	5	4	7	4	6	4	5	4	3	6	4	4	7	3	5	6
POP-UP & TOW LAUNCH	4	4	4	3	5	7	5	7	5	7	7	7	6	4	7	4	3	7	3	6	5
RUNNING LANDING	1	1	3	3	2	6	3	6	3	6	6	6	5	6	7	3	6	7	2	5	6



# Rater #2. Helicopter Task Characteristics Ratings

TASKS	RATING SCALES																				
	NUMBER OF OUTPUT UNITS	DURATION OUTPUT UNIT MAINTAINED	NUMBER OF ELEMENTS PER OUTPUT UNIT	WORKLOAD	DIFFICULTY OF GOAL ATTAINMENT	PRECISION OF RESPONSES	RESPONSE RATE	SIMULTANEITY OF RESPONSES	DEGREE OF MUSCULAR EFFORT INVOLVED	NUMBER OF PROCEDURAL STEPS	DEPENDENCY OF PROCEDURAL STEPS	ADHERENCE TO PROCEDURES	PROCEDURAL COMPLEXITY	VARIABILITY OF STIMULUS LOCATION	COMPLEX DURATION OF STIMULUS	REGULARITY OF STIMULUS OCCURRENCE	OPERATOR CONTROL OF THE STIMULUS	OPERATOR CONTROL OF THE RESPONSE	REACTION TIME/FEEDBACK LAG RELATIONSHIP	FEEDBACK	DECISION MAKING
TAKE-OFF TO HOVER	3	1	7	2	2	4	7	7	3	7	7	7	5	5	7	6	6	3	4	6	1
HOVER POWER CHECK	4	1	7	4	2	4	7	7	1	7	7	7	5	6	7	6	4	4	3	5	7
CARGO HOOK-UP	1	5	7	6	5	7	7	7	4	3	5	5	6	6	7	7	1	7	4	4	3
DEPART WITH CARGO	1	1	1	1	2	2	7	7	2	2	3	5	2	6	7	7	6	7	5	6	3
CARGO DROP-OFF	1	4	5	5	3	5	7	7	2	3	5	5	4	3	7	7	6	7	5	7	3
DEPART	1	1	1	1	2	2	7	7	1	2	7	3	2	6	7	7	6	7	4	7	2
LOW-LEVEL NAVIGATION	4	1	2	4	5	6	7	7	1	1	2	3	7	2	7	6	1	7	2	5	6
EVADE THREAT	1	4	2	7	6	5	7	7	2	3	5	4	5	1	4	2	1	1	3	6	6
ENGINE FIRE	4	5	7	7	6	7	7	7	6	7	7	7	7	2	4	1	1	1	6	4	4
FIRE SUPPRESSION	4	3	2	7	5	7	5	7	2	2	2	2	2	2	4	2	1	5	5	5	5
TARGET HAND-OFF	2	2	4	3	3	6	2	7	2	4	4	4	3	2	6	4	1	6	6	3	3
POP-UP & TOW LAUNCH	1	6	5	7	7	7	7	7	3	7	7	7	7	1	7	3	1	2	4	6	3
RUNNING LANDING	1	2	2	2	2	3	7	7	2	4	4	4	4	5	7	7	4	7	4	7	3



## DISTRIBUTION LIST

### DEPARTMENT OF DEFENSE

#### ARMED FORCES RADIOBIOLOGY RSCH INST

ATTN: BHS  
ATTN: DIRECTOR  
ATTN: EXH  
ATTN: PHY  
ATTN: RBD  
ATTN: RSD  
ATTN: SCIENTIFIC DIRECTOR  
ATTN: TECHNICAL LIBRARY

#### ARMED FORCES STAFF COLLEGE

ATTN: LIBRARY  
ATTN: STRAT STUDIES

#### ASSISTANT SECRETARY OF DEFENSE

##### INTERNATIONAL SECURITY POLICY

ATTN: COUNTER-INTELL & SEC PLNS  
ATTN: NUC FORCES & ARMS CONTROL PLCY

#### ASSISTANT TO THE SECRETARY OF DEFENSE

ATTN: EXECUTIVE ASSISTANT  
ATTN: MIL APPL  
ATTN: MIL APPL, C FIELD

#### ASST SECRETARY OF DEFENSE

ATTN: TACTICAL INTELL SYSTEMS

#### DEFENSE INTELLIGENCE AGENCY

ATTN: COUNTERTERRORIST THREAT BR  
ATTN: DB  
ATTN: DB-1 RSCH SOV WPN DIV/G FERRELL  
5 CYS ATTN: DB-4 RSCH RESOURCES DIV  
ATTN: DB-6 RSCH TGT INTELL DIV/R MANN  
ATTN: DE(ESTIMATES)  
ATTN: DIA/VPA-2 (FED RES DIV)  
ATTN: DN  
ATTN: DT  
ATTN: DT(SCI-TECH INTELL)  
ATTN: OFFICE OF SECURITY  
ATTN: OS  
ATTN: OSIB  
ATTN: RTS-2B  
ATTN: RTS-2C (TECH SVCS & SPT)

#### DEFENSE INTELLIGENCE COLLEGE

ATTN: DIC/RTS-2  
ATTN: DIC/2C

#### DEFENSE LOGISTICS AGENCY

ATTN: COMMAND SECURITY OFC

### DEFENSE NUCLEAR AGENCY

ATTN: CID  
ATTN: CSIS  
ATTN: DFRA  
ATTN: DFSP G ULLRICH  
ATTN: NANF  
ATTN: NASF  
ATTN: NAWF  
ATTN: OPNA  
ATTN: OPNS  
ATTN: RAEF

20 CYS ATTN: RARP

4 CYS ATTN: TITL

#### DEFENSE TECHNICAL INFORMATION CENTER

12 CYS ATTN: DD

#### DIRECTOR

ATTN: DOCUMENT CONTROL

#### FIELD COMMAND DEFENSE NUCLEAR AGENCY

ATTN: FCPR  
3 CYS ATTN: FCPRT  
ATTN: FCTXE  
ATTN: FTTD W SUMMA  
ATTN: NUC SECURITY

#### FIELD COMMAND/DNA

ATTN: FC-1

#### INTELLIGENCE CENTER, PACIFIC

ATTN: COMIPAC

#### INTERSERVICE NUCLEAR WEAPONS SCHOOL

ATTN: TTV  
2 CYS ATTN: TTV 3416TH TTSQ

#### JOINT CHIEFS OF STAFF

ATTN: ED30(J-3 STRATEGIC OPS DIV)  
ATTN: GD10, J-5, NUC & CHEM DIV  
ATTN: J-3 SPECIAL OPERATIONS  
ATTN: J-3 STRATEGIC OPERATIONS DIV  
ATTN: J-5 NUCLEAR DIV/STRAT DIV/FP&P DIV  
ATTN: J-5 PLANS & PLCY/NUC CHEMICAL DIV  
ATTN: J-5, STRAT DIV, W MCCLAIN  
ATTN: JAD/SFD  
ATTN: JAD/SSD  
ATTN: JSOA  
ATTN: SAGA

#### JOINT DATA SYSTEM SUPPORT CTR

ATTN: C-312  
ATTN: C-332  
ATTN: C-343

**DNA-TR-85-268 (DL CONTINUED)**

**JOINT STRAT TGT PLANNING STAFF**

ATTN: JK (ATTN: DNA REP)  
ATTN: JLKS  
ATTN: JLT  
ATTN: JP  
ATTN: JPPFD  
ATTN: JPTP

**NATIONAL DEFENSE UNIVERSITY**

ATTN: ICAF, TECH LIB  
ATTN: NWCLB-CR  
ATTN: STOP 315, LIBRARY  
ATTN: STRAT CONCEPTS DIV CTR

**NATIONAL SECURITY AGENCY**

ATTN: A12 F NEWTON  
ATTN: CHIEF A GROUP

**OFFICE OF THE SEC OF DEFENSE**

ATTN: NAVAL FORCES  
ATTN: REGIONAL PROGRAMS  
ATTN: STRATEGIC PROGRAMS & TNF

**STRATEGIC AND THEATER NUCLEAR DEFENSE**

ATTN: DR WOODRUFF

**U S EUROPEAN COMMAND/ECCS**

ATTN: ECCS/SASM

**U S EUROPEAN COMMAND/ECJ-LW**

ATTN: ECJ-LW

**U S EUROPEAN COMMAND/ECJ-2-ITD**

ATTN: ECJ-2  
ATTN: ECJ-2-ITD

**U S EUROPEAN COMMAND/ECJ-3**

ATTN: ECJ-3

**U S EUROPEAN COMMAND/ECJ-5NPG**

ATTN: ECJ-5

**U S EUROPEAN COMMAND/ECJ-6-OJ**

ATTN: ECJ-6

**U S EUROPEAN COMMAND/ECJ-7/LW**

ATTN: ECJ-7 LW

**U S EUROPEAN COMMAND/ECJ2-T**

ATTN: ECJ2-T (TGTS DIV)

**U S EUROPEAN COMMAND/ECJ5-N**

ATTN: ECJ5-N (NUC BRANCH)

**UNDER SEC OF DEFENSE FOR POLICY**

ATTN: DUSP/P  
ATTN: USD/P

**UNDER SECRETARY OF DEFENSE**

ATTN: CHAIRMAN PSEAG  
ATTN: CHAIRMAN, DEF SCIENCE BD

**2 CYS ATTN: C3I**

ATTN: DEP UND SEC, TAC WARFARE PROG  
ATTN: STRAT & SPACE SYS(OS)  
ATTN: STRAT & THEATER NUC FOR: F VAJDA

**DEPARTMENT OF THE ARMY**

**ARMY RESEARCH INSTITUTE**

ATTN: COMMANDER

**COMBAT MATERIAL EVAL ELEMENT**

ATTN: SECURITY ANALYST

**DEP CH OF STAFF FOR OPS & PLANS**

ATTN: DAMO-NCN  
ATTN: DAMO-NCN(NUC CHEM DIR)  
ATTN: DAMO-RQS  
ATTN: DAMO-ZXA

**DEPARTMENT OF THE ARMY**

ATTN: DAMA-CSS-N  
ATTN: DAMI-CI  
ATTN: DAMO-NCZ  
ATTN: DAMO-OD  
ATTN: DAMO-ODSO  
ATTN: DAPE-HRE

**HARRY DIAMOND LABORATORIES**

ATTN: SCHLD-NW-P  
ATTN: SLCIS-IM-TL (TECH LIB)

**JOINT STRATEGIC OPERATIONS CTR**

ATTN: J-2  
ATTN: J-5

**U S ARMY AIR DEFENSE SCHOOL**

ATTN: COMMANDANT

**U S ARMY ARMAMENT RSCH & DEV CENTER**

ATTN: DRDAR-LCN-F

**U S ARMY ARMOR SCHOOL**

ATTN: ATSB-CTD  
ATTN: TECH LIBRARY

**U S ARMY BALLISTIC RESEARCH LAB**

ATTN: AMXBR-VLD-R (DR RAINIS)  
ATTN: AMXBR-VLD, DR KLOPCIC  
ATTN: DRDAR-BL  
ATTN: DRDAR-BLA-S, TECH LIB  
ATTN: DRDAR-BLT

**U S ARMY CHEMICAL SCHOOL**

ATTN: ATZN-CM-M

**U S ARMY COMB ARMS COMBAT DEV ACTY**

ATTN: ATZL-CAP

**DNA-TR-85-268 (DL CONTINUED)**

U S ARMY COMD & GENERAL STAFF COLLEGE  
ATTN: ACQ LIBRARY DIV  
ATTN: ATSW-TA-D  
ATTN: ATZL-SWJ-CA  
ATTN: ATZL-SWS-L D DORRIS

U S ARMY CONCEPTS ANALYSIS AGENCY  
ATTN: CSSA-ADL, TECH LIB

U S ARMY FIELD ARTILLERY SCHOOL  
ATTN: ATSF-CD

U S ARMY FORCES COMMAND  
ATTN: AF-OPTS

U S ARMY HUMAN ENGINEERING LAB  
ATTN: DIRECTOR

U S ARMY INFANTRY CTR & SCH  
ATTN: ATSH-CD-CSO

U S ARMY INTEL THREAT ANALYSIS DET  
ATTN: IAX-Z

U S ARMY INTELLIGENCE AGENCY  
ATTN: DELEW-I

U S ARMY MATERIAL COMMAND  
ATTN: DRCDE-D  
ATTN: DRCNC  
ATTN: DRCPM-NUC  
ATTN: DRCSS

U S ARMY MATERIEL SYS ANALYSIS ACTVY  
ATTN: DRXSY-DS  
ATTN: DRXSY-S

U S ARMY NUCLEAR & CHEMICAL AGENCY  
ATTN: DR DAVIDSON  
ATTN: LIBRARY

U S ARMY TRAINING AND DOCTRINE COMD  
ATTN: ATCD-AO  
ATTN: ATCD-FA  
ATTN: ATCD-N, CBT DEV, NUC DIR  
ATTN: ATOO-NCO

U S ARMY WAR COLLEGE  
ATTN: LIBRARY  
ATTN: STRATEGIC STUDIES

USA MILITARY ACADEMY  
ATTN: DEPT OF BEHAVIORAL SCI & LEADERSHIP  
ATTN: DIR NATL SECURITY STUDIES  
ATTN: DOCUMENT LIBRARY

**DEPARTMENT OF THE NAVY**

DAVID TAYLOR NAVAL SHIP R & D CTR  
ATTN: CODE 174

FLEET INTELLIGENCE CENTER  
ATTN: FICPAC, CODE 21

FLEET INTELLIGENCE CTR EUROPE & ATLANTIC  
ATTN: LIBRARY CODE 113

MARINE CORPS  
ATTN: CODE PPO

MARINE CORPS DEV & EDUCATION COMMAND  
ATTN: COMMANDER

NAVAL INTELLIGENCE SUPPORT CTR  
ATTN: NISC-30

NAVAL OCEAN SYSTEMS CENTER  
ATTN: CODE 4471, TECH LIB

NAVAL PERSONNEL RES & DEV CENTER  
ATTN: CODE P302

NAVAL POSTGRADUATE SCHOOL  
ATTN: CODE 1424 LIBRARY

NAVAL RESEARCH LABORATORY  
ATTN: CODE 1240  
ATTN: CODE 2627 (TECH LIB)

NAVAL SEA SYSTEMS COMMAND  
ATTN: PMS-423  
ATTN: SEA-09G53 (LIB)  
ATTN: SEA-643

NAVAL SURFACE WEAPONS CENTER  
ATTN: CODE F-31  
ATTN: G GOO

NAVAL WAR COLLEGE  
ATTN: CODE E-11 TECH SVC  
ATTN: CTR FOR NAV WARFARE STUDIES  
ATTN: DOCUMENT CONTROL  
ATTN: LIBRARY  
ATTN: STRATEGY DEPT

NAVAL WEAPONS EVALUATION FACILITY  
ATTN: CLASSIFIED LIBRARY

NUCLEAR WEAPONS TNG GROUP, ATLANTIC  
ATTN: CODE 222  
ATTN: DOCUMENT CONTROL

NUCLEAR WEAPONS TNG GROUP, PACIFIC  
ATTN: CODE 32  
ATTN: DOCUMENT CONTROL

OFC OF THE DEPUTY CHIEF OF NAVAL OPS  
ATTN: NIS-22  
ATTN: NOP 009D  
ATTN: NOP 009D3  
ATTN: NOP 06D  
2 CYS ATTN: NOP 403

**DNA-TR-85-268 (DL CONTINUED)**

ATTN: NOP 50, AVN PLNS & RQMNTS DEV  
ATTN: NOP 60  
ATTN: NOP 60D  
ATTN: NOP 603  
ATTN: NOP 91  
ATTN: OP 654(STRAT EVAL & ANAL BR)  
ATTN: OP 955(AAW DIV)  
ATTN: OP 981

OFFICE OF NAVAL RESEARCH  
ATTN: CODE 713

OFFICE OF THE CHIEF OF NAVAL OPERATIONS  
ATTN: CNO EXECUTIVE PANEL

OPERATIONAL TEST & EVALUATION FORCE  
ATTN: COMMANDER

PLANS, POLICY & OPERATIONS  
ATTN: CODE-P  
ATTN: CODE-POC-30

SPACE & NAVAL WARFARE SYSTEMS CMD  
ATTN: PME 121-3

STRATEGIC SYSTEMS PROGRAM OFFICE  
ATTN: SP-113

TACTICAL TRAINING GROUP, PACIFIC  
ATTN: COMMANDER

**DEPARTMENT OF THE AIR FORCE**

AERONAUTICAL SYSTEMS DIVISION  
ATTN: XRO/MAF

AF/INE  
ATTN: INA

AFIS/INT  
ATTN: INT

AIR FORCE SYSTEMS COMMAND  
ATTN: DL  
ATTN: SD  
ATTN: XR

AIR FORCE WEAPONS LABORATORY  
ATTN: SUL

AIR UNIVERSITY  
ATTN: AU/SP  
ATTN: STRATEGIC STUDIES

AIR UNIVERSITY LIBRARY  
ATTN: AUL-LSE  
ATTN: LIBRARY

ASSISTANT CHIEF OF STAFF  
2 CYS ATTN: AF/SAMI

ASSISTANT CHIEF OF THE AIR FORCE  
ATTN: SAF/ALR

DEPUTY CHIEF OF STAFF/AF-RDQM  
ATTN: AF/RDQI

DEPUTY CHIEF OF STAFF/XOO  
ATTN: AF/XOOIR

DEPUTY CHIEF OF STAFF/XOX  
ATTN: AFXOXFM PLN FRC DEV MUN PLNS DIV  
ATTN: AFXOXFM PLN FRC DEV MUN PLN  
ATTN: AFXOXFS FRC DEV STRAT OFF FRC

FOREIGN TECHNOLOGY DIVISION, AFSC  
ATTN: CCN  
ATTN: SDN  
ATTN: TQTM

SPACE DIVISION/YH  
ATTN: YH

STRATEGIC AIR COMMAND/ADWN  
ATTN: ADWN

STRATEGIC AIR COMMAND/NRI-STINFO  
ATTN: NRI/STINFO

STRATEGIC AIR COMMAND/SPD  
ATTN: SPD

STRATEGIC AIR COMMAND/STIC  
ATTN: STIC

STRATEGIC AIR COMMAND/XOXO  
ATTN: XOXO

STRATEGIC AIR COMMAND/XPQ  
ATTN: XPQ

STRATEGIC AIR COMMAND/XPX  
ATTN: XPZ

TACTICAL AIR COMMAND/XPJ  
ATTN: TAC/XPJ

TACTICAL AIR COMMAND/XPSC  
ATTN: XPS

U S AIR FORCE ACADEMY  
ATTN: LIBRARY  
ATTN: STRATEGIC STUDIES  
ATTN: USAFA/SP

USAF SCHOOL OF AEROSPACE MEDICINE  
ATTN: RADIATION SCIENCES DIV

**DEPARTMENT OF ENERGY**

DEPARTMENT OF ENERGY  
ATTN: OMA, DP-22

LAWRENCE LIVERMORE NATIONAL LAB  
 ATTN: D DIVISION  
 ATTN: L-53 TECH INFO DEPT. LIB  
 ATTN: Z DIVISION LIBRARY

LOS ALAMOS NATIONAL LABORATORY  
 ATTN: REPORT LIBRARY  
 ATTN: T DOWLER  
 ATTN: R SANDOVAL

SANDIA NATIONAL LABORATORIES  
 ATTN: TECH LIB 3141 (RPTS REC CLRK)  
 ATTN: R B STRATTON  
 ATTN: J STRUVE

**OTHER GOVERNMENT**

CENTRAL INTELLIGENCE AGENCY  
 ATTN: COUNTER-TERRORIST GROUP  
 ATTN: DIRECTOR OF SECURITY  
 ATTN: MEDICAL SERVICES  
 ATTN: NIO-T  
 ATTN: N10 - STRATEGIC SYS  
 ATTN: OFFICE OF GLOBAL ISSUES  
 ATTN: R & D SUBCOMMITTEE  
 ATTN: SECURITY COMMITTEE  
 ATTN: TECH LIBRARY

FEDERAL BUREAU OF INVEST ACADEMY  
 ATTN: BEHAVIORAL RSCH UNIT  
 ATTN: LIBRARY

FEDERAL EMERGENCY MANAGEMENT AGENCY  
 ATTN: ASST. ASSOC. DIR FOR RSCH  
 ATTN: CIVIL SECURITY DIV  
 ATTN: G ORRELL NP-CP  
 ATTN: OFC OF RSCH/NP H TOVEY

U S COAST GUARD ACADEMY  
 ATTN: LIBRN

U S DEPARTMENT OF STATE  
 ATTN: PM/STM

U S NUCLEAR REGULATORY COMMISSION  
 ATTN: DIR DIV OF SAFEGUARDS  
 ATTN: S YANIV

**DEPARTMENT OF DEFENSE CONTRACTORS**

ADVANCED RESEARCH & APPLICATIONS CORP  
 ATTN: DOCUMENT CONTROL

AEROSPACE CORP  
 ATTN: LIBRARY ACQUISITION

ANALYTICAL ASSESSMENTS CORP  
 ATTN: A WAGNER

BDM CORP  
 ATTN: C SOMERS  
 ATTN: C WASAFF  
 ATTN: J BODE  
 ATTN: J BRADDOCK  
 ATTN: J CONANT  
 ATTN: R BUCHANAN

COMPUTER SCIENCES CORP  
 ATTN: F EISENBARTH

DATA MEMORY SYSTEMS, INC  
 ATTN: T DUPUY

KAMAN SCIENCES CORP  
 ATTN: E CONRAD

KAMAN SCIENCES CORPORATION  
 ATTN: DASIAC

KAMAN TEMPO  
 ATTN: DASIAC

KAMAN TEMPO  
 ATTN: D PIRIO

PACIFIC-SIERRA RESEARCH CORP  
 2 CYS ATTN: G ANNO  
 ATTN: H BRODE, CHAIRMAN SAGE

PACIFIC-SIERRA RESEARCH CORP  
 ATTN: D GORMLEY  
 2 CYS ATTN: G MCCLELLAN

R & D ASSOCIATES  
 ATTN: C McDONALD  
 2 CYS ATTN: DOCUMENT CONTROL  
 ATTN: F A FIELD

R & D ASSOCIATES  
 ATTN: A DEVERILL  
 ATTN: C KNOWLES  
 ATTN: J THOMPSON  
 ATTN: K MORAN  
 ATTN: W GRAHAM

SCIENCE APPLICATIONS INTL CORP  
 ATTN: DOCUMENT CONTROL  
 ATTN: E SWICK  
 ATTN: J MARTIN  
 ATTN: J WARNER  
 ATTN: M DRAKE  
 ATTN: R J BEYSTER

SCIENCE APPLICATIONS INTL CORP  
 ATTN: B BENNETT  
 ATTN: DOCUMENT CONTROL  
 ATTN: J FOSTER  
 2 CYS ATTN: J PETERS  
 ATTN: J SHANNON  
 ATTN: L GOURE

**DNA-TR-85-268 (DL CONTINUED)**

2 CYS ATTN: M A ARCHER  
ATTN: M FINEBURG  
2 CYS ATTN: M J MOYER  
ATTN: W LAYSON

SCIENCE APPLICATIONS INTL CORP  
ATTN: R CRAVER

SYSTEMS RESEARCH & APPLICATION CORP  
ATTN: R STEELE  
ATTN: S GREENSTEIN



END

DATE

FILMED

5-88

DTIC